

## 参 考 文 献

- [1] W. S. McCulloch, W. H. Pitts: “A logical calculus of the ideas immanent in nervous activity”, Bulletin of Mathematical Biophysics, Vol.5, pp.115-133, 1943.
- [2] 萩原将文: “ニューロ・ファジィ・遺伝的アルゴリズム”, 産業図書, pp.18-73, 1994.
- [3] J. J. Hopfield: “Neurons with graded response have collective computational properties like those of two-state neurons”, Proceedings of the National Academy of Sciences of U.S.A., Vol.81, pp.3088-3092, 1984.
- [4] J. J. Hopfield, D. W. Tank: “Neural Computation of Decisions in Optimization Problems”, Biological Cybernetics, Vol.52, pp.141-152, 1985.
- [5] K. Aihara, T. Takabe, M. Toyoda: “Chaotic Neural Networks”, Physics Letters A 144, pp.333-340, 1990.
- [6] M. Inoue, A. Nagayoshi: “A chaotic neuro-computer”, Physics Letters A 158, pp.373-376, 1991.
- [7] H. Nozawa: “A neural network model as a globally coupled map and its application”, Technical Report of IEICE NLP 92-36, pp.11-18, 1992.
- [8] T. Shimizu: “Resonance phenomena in a harmonic oscillator driven by the chaotic force”, Physica A 234, pp.371-385, 1996.
- [9] T. Shimizu: “Chaotic Brownian Network”, Physica A 256, pp.163-177, 1998.
- [10] H. Nakajima, T. Shimizu: “Neural Network using Harmonic Oscillators Disturbed by Chaotic Force”, Proceedings of the 1996 International Symposium on Nonlinear Theory and its Applications, pp.373-376, 1996.
- [11] T. Ohno, T. Shimizu: “Associative Memory in Coupled Neural Networks”, Technical Report of IEICE NLP 98-117, pp.45-52, 1999.
- [12] T. Ohno, T. Shimizu: “Communications between Two Neural Networks”, Proceedings of the 5<sup>th</sup> International Workshop on Similarity in Diversity, pp.51-55, 1999.
- [13] T. Ohno, T. Shimizu: “Chaotic Wandering Motion in Connected Neural Networks”, American Institute of Physics, pp.652-654, 1999.

- [14] T. Ohno, T. Shimizu: “Synchronized Behavior in Connected Neural Networks”, Proceedings of the 2000 International Symposium on Nonlinear Theory and its Applications, pp.579-582, 2000.
- [15] ATR 国際電気通信基礎技術研究所: “ニューラルネットワーク応用”, オーム社, pp.29-53, 1995.
- [16] 中川聖一: “確率モデルによる音声認識”, 電子情報通信学会, pp.164-168, 1988.
- [17] 国際電気通信基礎技術研究所: “ニューラルネットによる文字認識過程のシミュレーション”, [http://results.atr.jp/atrj/tokushu/23/fig\\_03.html](http://results.atr.jp/atrj/tokushu/23/fig_03.html), accessed 2007/1/11
- [18] 土井利忠, 藤田雅博, 下村秀樹(編): “脳・身体性・ロボット 知能の創発をめざして”, シュプリンガー・フェアラーク東京, pp.100-109, 2005.
- [19] Peter Menzel: “Peter Menzel Photography”, <http://www.menzelphoto.com/gallery/big/robo2.htm>, accessed 2007/1/11
- [20] 小嶋秀樹: “Infanoid Project”, <http://univ.nict.go.jp/people/xkozima/infanoid/robot.html>, accessed 2007/1/11
- [21] LIRA Lab.: “BabyBot”, <http://www.liralab.it/babybot/robot.htm>, accessed 2007/1/11
- [22] 長井志江, 浅田稔, 細田耕: “ロボットと養育者の相互作用に基づく発達の学習モデルによる共同注意の獲得”, 人工知能学会論文誌, Vol.18, No.2, pp.122-130, 2003.
- [23] 長井志江, 細田耕, 森田章生, 浅田稔: “視覚注視と自己評価型学習の機能に基づくブートストラップ学習を通じた共同注意の創発”, 人工知能学会論文誌, Vol.19, No.1, pp.10-19, 2004.
- [24] ソニー株式会社: “QRIO”, [http://www.sony.co.jp/SonyInfo/QRIO/top\\_nf.html](http://www.sony.co.jp/SonyInfo/QRIO/top_nf.html), accessed 2007/1/11
- [25] C. Breazeal: “Kismet”, <http://www.ai.mit.edu/projects/humanoid-robotics-group/kismet/kismet.html>, accessed 2007/1/11
- [26] H. Kozima: “Infanoid: A babybot that explores the social environment”, Socially Intelligent Agents: Creating Relationships with Computers and Robots, pp.157-164, 2002.
- [27] G. Metta, G. Sandini, L. Natale, F. Panerai: “Development and Robotics”, Proceedings of the 2001 IEEE-RAS International Conference on Humanoid Robots, pp.33-42, 2001.

- [28] M. Fujita, Y. Kuroki, T. Ishida, T. Doi: “Autonomous Behavior Control Architecture of Entertainment Humanoid Robot SDR-4X”, Proceedings of the 2003 IEEE/RSJ International Conference on Intelligent Robots and Systems, pp.960-967, 2003.
- [29] T. Ishida, Y. Kuroki, J. Yamaguchi: “Mechanical System of a Small Biped Entertainment Robot”, Proceedings of the 2003 IEEE/RSJ International Conference on Intelligent Robots and Systems, pp.1129-1134, 2003.
- [30] T. Sawada, T. Takagi, M. Fujita: “Behavior Selection and Motion Modulation in Emotionally Grounded Architecture for QRIO SDR-4X II”, Proceedings of the 2004 IEEE/RSJ International Conference on Intelligent Robots and Systems, pp.2514-2519, 2004.
- [31] C. Breazeal: “Function Meets Style: Insights from Emotion Theory Applied to HRI”, IEEE Transactions in Systems, Man, and Cybernetics, Part C, 34(2), pp.187-194, 2003.
- [32] C. Breazeal: “Regulation and entrainment for human-robot interaction”, International Journal of Experimental Robots, 21(10-11), pp.883-902, 2003.
- [33] C. Breazeal: “Emotion and sociable humanoid robots”, International Journal of Human Computer Interaction, 59, pp.119-155, 2003.
- [34] 林初男: “脳とカオス”, 裳華房, pp.184-197, 2001.
- [35] 高野陽太郎(編): “認知心理学 2 記憶”, 東京大学出版会, pp.240-241, 1995.
- [36] H. Miwa, T. Okuchi, H. Takanobu, A. Takanishi: “Development of a New Human-like Head Robot WE-4”, Proceedings of the 2002 IEEE/RSJ International Conference on Intelligent Robots and Systems, pp.2443-2448, 2002.
- [37] H. Miwa, K. Itoh, D. Ito, H. Takanobu, A. Takanishi: “Design and Control of 9-DOFs Emotion Expression Humanoid Arm”, Proceedings of the 2004 IEEE International Conference on Robotics and Automation, pp.128-133, 2004.
- [38] H. Miwa, K. Itoh, M. Matsumoto, M. Zecca, H. Takanobu, S. Roccella, M. C. Carrozza, P. Dario, A. Takanishi: “Effective Emotional Expression with Emotion Expression Humanoid Robot WE-4RII”, Proceedings of the 2004 IEEE/RSJ International Conference on Intelligent Robots and Systems, pp.2203-2208, 2004.

- [39] S. Rocco, M. C. Carrozza, G. Cappiello, P. Dario, J. J. Cabibihan, M. Zecca, H. Miwa, K. Itoh, M. Matsumoto, A. Takanishi: “Design, fabrication and preliminary results of a novel anthropomorphic hand for humanoid robotics : RCH-1”, Proceedings of the 2004 IEEE/RSJ International Conference on Intelligent Robots and Systems, pp.266-271, 2004.
- [40] H. Miwa, T. Okuchi, K. Itoh, H. Takanobu, A. Takanishi: “A new mental model for humanoid robots for human friendly communication –introduction of learning system, mood vector and second order equations of emotion”, Proceedings of the 2003 IEEE International Conference on Robotics and Automation, pp.3588-3593, 2003.
- [41] H. Miwa, K. Itoh, D. Ito, H. Takanobu, A. Takanishi: “Introduction of the need model for humanoid robots to generate active behavior”, Proceedings of the 2003 IEEE/RSJ International Conference on Intelligent Robots and Systems, pp.1400-1406, 2003.
- [42] K. Itoh, H. Miwa, M. Matsumoto, M. Zecca, H. Takanobu, S. Rocco, M. C. Carrozza, P. Dario, A. Takanishi: “Behavior Model of Humanoid Robots based on Operant Conditioning”, Proceedings of the 2005 IEEE-RAS International Conference on Humanoid Robots, pp.220-225, 2005.
- [43] 今堀和友, 山川民夫(監修): “生化学辞典 第 3 版”, 東京化学同人, p.338, p.632, p.695, pp.828-829, p.1038, 1998.
- [44] 原一之: “脳の地図帳”, 講談社, pp.62-67, 2005.
- [45] W. B. Scoville, B. Milner: “Loss of recent memory after bilateral hippocampal lesions”, Journal of Neurology, Neurosurgery, and Psychiatry, 20, pp.11-21, 1957.
- [46] 林初男: 前掲書, pp.2-30.
- [47] 下條隆嗣: “カオス力学入門”, 近代科学社, pp.1-3, 1992.
- [48] H. Hayashi, S. Ishizuka: “Chaotic responses of the hippocampal CA3 region to a mossy fiber stimulation in vitro”, Brain Res, 686, pp.194-206, 1995.
- [49] 下條隆嗣: 前掲書, pp.96-98.
- [50] 人工知能学会(編): “人工知能学事典”, 共立出版株式会社, pp.127-128, 2005.
- [51] 同上書, pp.743-745.

- [52] 同上書, pp.147-149.
- [53] 同上書, pp.159-161.
- [54] D. E. Rumelhart, G. E. Hinton, R. J. Williams: “Learning representations by back-propagating errors”, *Nature*, Vol.323, pp.533-536, 1986.
- [55] D. E. Rumelhart, G. E. Hinton, R. J. Williams: “Learning internal representations by error propagation”, *Parallel Distributed Processing*, Vol.1, pp.318-362, 1986.
- [56] T. Kohonen: “Self-Organization and Associative Memory”, *Springer Series in Information Science*, Vol.8, 1984.
- [57] T. Kohonen: “Self-Organization Maps”, *Springer Series in Information Science*, Vol.30, 1995.
- [58] 徳高平蔵, 岸田悟, 藤村喜久郎: “自己組織化マップの応用”, 海文堂, pp.7-15, 1999.
- [59] 中野馨: “アソシアトロンとその応用”, 電子通信学会インホメーション理論研究会資料, IT-69-27, 1969.
- [60] 高野陽太郎(編): 前掲書, pp.11-17.
- [61] 篠原彰一: “学習心理学への招待 学習・記憶のしくみを探る”, サイエンス社, pp.90-139, 1998.
- [62] G. H. Bower, M. C. Clark, A. M. Lesgold, D. Winzenz: “Hierarchical retrieval schemes in recall of categorized word lists”, *Journal of Verbal Learning and Verbal Behavior*, 8, pp.323-343, 1969.
- [63] G. H. Bower: “Mental imagery and associative learning”, *Cognition in learning and memory*, 1972.
- [64] F. I. M. Craik, M. J. Watkins: “The role of rehearsal in short-term memory”, *Journal of Verbal Learning and Verbal Behavior*, 12, pp.599-607, 1973.
- [65] R. C. Atkinson, R. M. Shiffrin: “Human memory: A proposed system and its control processes”, *The psychology of learning and motivation: Advances in research and theory*, Vol.2, 1968.
- [66] 高野陽太郎(編): 前掲書, pp.123-129.

- [67] A. M. Collins, M. R. Quillian: “Retrieval time from semantic memory”, *Journal of Verbal Learning and Verbal Behavior*, 8, pp.240-247, 1969.
- [68] 篠原彰一: 前掲書, pp.176-187.
- [69] J. E. Eich, J. Metcalfe: “Mood-dependent memory for internal versus external events”, *Journal of Experimental Psychology: Learning, Memory and Cognition*, 15, pp.443-455, 1989.
- [70] 下條隆嗣: 前掲書, pp.39-52.
- [71] K. Itoh, T. Shimizu: “New Type of Feed-Back Mechanism with Bifurcation Parameter Modulation”, *AIP Conference Proceedings #519: Statistical Physics*, pp.649-651, 2000.
- [72] K. Itoh, T. Shimizu: “Cooperative Phenomena between the Chaotic Force and the Harmonic Oscillator”, *Proceedings of the 2000 International Symposium on Nonlinear Theory and its Applications*, pp.645-648, 2000.
- [73] T. Shimizu: “Relaxation and bifurcation in Brownian motion driven by a chaotic force”, *Physica A*, 164, pp.123-146, 1990.
- [74] D. O. Hebb: “The Organization of Behavior”, Wiley, 1949.
- [75] K. Itoh, T. Shimizu: “The Virtual Attractor in Mutually Coupled Networks”, *Journal of the Korean Physical Society*, Vol.40, No.6, pp.1018-1022, 2002.
- [76] D. O. Hebb(著), 白井常, 鹿取広人, 平野俊二, 金城辰夫, 今村護郎(訳): “行動学入門”, 紀伊国屋書店, pp.257-262, 1975.
- [77] B. Massa, S. Roccella, M. C. Carrozza, P. Dario: “Design and Development of an Underactuated Prothetic Hand”, *Proceedings of the 2002 IEEE International Conference of Robotics and Automation*, pp.3374-3379, 2002.
- [78] P. Ekman, W. V. Friesen: “Facial Action Coding System”, *Consulting Psychologists Press Inc.*, pp.1-36, 1978.
- [79] P. Ekman, W. V. Friesen(著), 工藤力, デービット松本, 下村陽一, 市村英次(訳): “表情分析入門 –表情に隠された意味をさぐる–”, 誠信書房, pp.30-47, 1987.
- [80] 鈴木清: “心理学 経験と行動の科学”, ナカニシヤ出版, p.22, 1991.

- [81] 中島義明, 安藤清志, 子安増生, 坂野雄二, 繁榊算男, 立花政夫, 箱田裕司: “心理学事典(CD-ROM 版)”, 有斐閣, 1999.
- [82] A. H. Maslow(著), 小口忠彦(訳): “人間性の心理学”, 産能大学出版部, pp.117-308, 1983.
- [83] 安西祐一郎, 苧阪直行: “認知科学 9 注意と意識”, 岩波書店, pp.13-16, 1994.
- [84] K. Itoh, H. Miwa, H. Takanobu, A. Takanishi: “Application of Neural Network to Humanoid Robots –Development of Co-Associative Memory Model”, Neural Networks, Vol.18, No.5-6, pp.666-673, 2005.
- [85] K. Itoh, H. Miwa, Y. Nukariya, M. Zecca, H. Takanobu, P. Dario, A. Takanishi: “New Memory Model for Humanoid Robots –Introduction of Co-Associative Memory Using Mutually Coupled Chaotic Neural Networks–”, Proceedings of the International Joint Conference on Neural Networks 2005, pp.2790-2795, 2005.
- [86] K. Itoh, H. Miwa, Y. Nukariya, M. Zecca, H. Takanobu, S. Roccella, M. C. Carrozza, P. Dario, A. Takanishi: “Behavior Generation of Humanoid Robots Depending on Mood”, Intelligent Autonomous System 9, pp.965-972, 2006.
- [87] D. Koike, T. Sasaki, T. Shimizu: “Fluctuation in Plethysmogram”, AIP Conference Proceedings #519: Statistical Physics, pp.498-500, 2000.
- [88] 日本 ME 学会: “医用電子生体工学 ME 事典”, コロナ社, 1978.
- [89] I. A. Kapandji(著), 萩島秀男(監訳), 嶋田智明(訳): “カパンティ 関節の生理学 I 上肢”, 医歯薬出版, 1986.
- [90] 広瀬茂男: “ロボット工学”, 裳華房, 2003.