

退職教員プロフィール

山内 兄人
(YAMANOUCHI Korehito)
教授
(1948年8月8日生まれ)



<学歴>

1971年3月 早稲田大学教育学部理学科生物学専修卒業
1982年12月 医学博士（順天堂大学）

<職歴>

1971年6月 国立ガンセンター研究所薬効試験部 研修生
1972年4月 順天堂大学医学部第二解剖 助手
1986年12月 順天堂大学医学部専任講師
1987年4月 早稲田大学人間科学部助教授
1992年4月 早稲田大学人間科学部教授

<研究経歴>

1971：プロラクチンアッセイ
1972～1986：脳の性分化、脳による生殖機能の制御
1986～現在：脳の性分化、セロトニン神経と生殖機能

<所属学会>

日本動物学会
日本内分泌学会
日本比較内分泌学会
日本神経科学会
日本神経内分泌学会
日本繁殖生物学会
行動神経内分泌学会
環境ホルモン学会
日本生殖内分泌学会
日本解剖学会
ヒトと動物の関係学会
日本下垂体研究会
Int.Soc.Behav.Neuroendocrinol

<主要研究業績>

Unilateral lesion increases oestrogen receptor alpha expression in the intact side of the ventromedial hypothalamic nucleus in ovariectomised rats.

Journal of Neuroendocrinol., 26(4); 258-266, 2014

Shimogawa, Y., Maekawa, F., Yamanouchi, K.

Inhibitory role of the serotonergic system on estrogen receptor α expression in the female rat hypothalamus.

Neurosci Lett. 583, 194-198, 2014

Ito, H., Shimogawa, Y., Kohagura, D., Moriizumi, T., Yamanouchi, K.

Defeminization of brain functions by a single injection of estrogen receptor α or β agonist in neonatal female rats

Neuroendocrinology 95:297-304, 2012

Kanaya, M., Yamanouchi, K.

Acceleration of irregular estrous cycle in forced running by midbrain raphe lesions in female rats

Neuroscience Letter 495 (3), 192-195, 2011

Shimizu, H., Yamanouchi, K.

Sex and regional differences in decrease of serotonin-immunoreactive cells by parachlorophenylalanin in rat raphe nuclei

Neurosci. Res. 67 (1), 33-39, 2010

Ito, H., Yamanouchi, K.

Sex and regional differences in decrease of estrogen receptor α -immunoreactive cells by estrogen in rat hypothalamus and midbrain.

Neurosci. Lett. 463 (2), 135-139, 2009

Yamada, S., Noguchi, D., Ito, H., Yamanouchi, K.

Ipsilateral and contralateral serotonergic projections from dorsal and median raphe nuclei to the forebrain in rats: Immunofluorescence quantitative analysis.

Neurosci. Res. 61(2) 207-218, 2008

Kanno, K., Shima, S., Ishida, Y., Yamanouchi, K.

Additive inhibition of lordosis by simultaneous treatments with GABA_A and GABA_B receptor agonists, muscimol and baclofen, in female rats.

Pharmacol. Biochem. Behav. 90 (4) 590-593, 2008

Wada, S., Yamada, S., Yamanouchi, K.

Postnatal development of septal projections to the midbrain central gray in female rats: Tract-tracing analysis with DiI

Neurosci. Lett. 411 (1) 37-42, 2007

Kouki, T., Yamanouchi, K.

Effects of estrogen, androgen or phytoestrogen on retrieving and licking behaviors in nulliparous and male rats

Zool. Sci. 24 (4) 894-898, 2007

Sakai, M., Yamanouchi, K.

Sex difference and postnatal change of maternal behavioral patterns in juvenile male and female rats

Zool. Sci. 22(6),695-699, 2005

Shima, S., Urano, A., Korányi, L., Yamanouchi, K.

Effects of 5-HT_{1A} receptor agonist, 8-OH-DPAT, and GABA_B receptor agonist, baclofen, on lordosis in female rats with lesions in either dorsal raphe nucleus or septum J. Pharmacol. Sci. 98 (4) 419-424, 2005

Kishitake, M., Yamanouchi, K.

Suppressive effect of neonatal treatment with a phytoestrogen, coumestrol, on lordosis and estrous cycle in female rats

Brain Res. Bull 64 (5) 449-454, 2005

Kouki, T., Okamoto, M., Wada, S., Kishitake, M., Yamanouchi, K.

Facilitatory effects of QAY-100635, a 5-HT_{1A} receptor antagonist, on lordosis in female rats.

Neurosci. Lett. 371(2-3): 147-151,2004

Kishitake, M., Ymanouchi, K.

Neonatal estrogen decreases neural density of the septum-midbrain central gray connection underlying the lordosis-inhibiting system in female rats.

Neuroendocrinology 78 (4) 226-233, 2003

Tsukahara, S., Ezawa, N., Yamanouchi K.

Effects of neonatal treatment with phytoestrogens;genistein and daidzein on sex difference in female rat brain function: Estrous cycle and lordosis.

Horm. Behav. 44 (2) 140-145, 2003

Kouki, T., Kishitake, M., Okamoto, M., Oosuka, I., Takebe, M., Yamanouchi, K.

Sex difference in septal neurons projecting axons to midbrain central gray in rats: A combined double retrograde tracing and ER-immunohistochemical study.

Endocrinology 143 (1) 285-294, 2002,

Tsukahara, S., Yamanouchi, K.

Neurohistological and behavioral evidence for lordosis -inhibiting tract from lateral septum to periaqueductal gray in male rats.

J. Comp. Neurol. 431 (3) 293-610, 2001,

Tsukahara, S., Yamanouchi, K.

Inhibitory effect of postpartum lesions or cuts in median raphe nucleus on maternal behavior in female rats.

Zool. Sci. 18 (9) 1225-1230, 2001,

Yurino, H., Tsukahara, S., Korany, L., Yamanocuchi, K.

Acceleration of mounting behaviors in female rats by ibotenic acid lesions in the ventromedial hypothalamic nucleus.

Neurosci. Lett. 291(3), 143-146, 2000

Matsumoto, T., Yamanouchi, K.

Suppression of spontaneous ovulation by interruption of dorsal input of hypothalamus at various timings during rat estrous cycle.

J. Reprod. Develop. 46 (1), 39-45、2000

Watanabe, M., Yamanouchi, K.

Effect of direct applicationof estrogen aimed at lateral septum or dorsal raphe nucleus on lordosis behavior: Regional and sexual differences in rats.

Neuroendocrinol. 69 (6) 446-452, 1999
Satou, M., Yamanouchi, K.

Prevention of inhibitory effect of dorsal raphe nucleus lesions on ovulation and LH surge by 5-HT 2A/2C receptor agonists in female rats.
Neurosci. Res. 35 (4) 291-298, 1999
Maekawa, F., Tsukahara, S., Tsukamura, H., Maeda, K.-I., Yamanouchi, K.

Inhibitory effect of neural transections of dorsal raphe nucleus on induction of nocturnal prolactin surge by vaginal stimulation in ovariectomized rats.
Brain Res. 813 (1) 195-199, 1998
Maekawa, F., Tsukahara, S., Tsukamura, H., Maeda K.-I., Yamanouchi, K.

Brain mechanisms inhibiting the expression of heterotypical sexual behavior in rats.
In 'Neural Control of Reproduction-Physiology and Behavior' Maeda, K., Tukamura, H. and Yokoyama, A.(eds), Jap. Sci. Soc. Press/Tokyo, pp.219-235, 1997
Yamanouchi, K.

Effects of p-chlorophenylalanine on reflexive and noncontact penile erections in male rats
Physiol. Behav. 61(2) 165-168, 1997
Matsumoto, T., Kondo, Y., Sachs B. J., Yamanouchi, K.

Lordosis in male rats: Effect of dorsal raphe nucleus cuts.
Horm. Behav. 32 (1), 60-67, 1997
Kakeyama, M. and Yamanouchi, K.

Inhibitory effect of baclofen on lordosis in female and male rats with dorsal raphe nucleus lesion or septal cut.
Neuroendocrinology, 63 (3) 290-296, 1996.
Kakeyama, M. and Yamanouchi, K.

Effects of deprivation of serotonin by p-chlorophenylalanine on induction and maintenance of pseudopregnancy in female rats.
Brain Res. Bull., 1996. 39 (5) 317-321.
Maekawa, F. and Yamanouchi, K.

Lordosis-inhibiting effect of progesterone in female rats with lesions in septum, preoptic area or dorsal raphe nucleus.
Physiol. Behav. 60(3) 1027-1031, 1996.
Satou, M. and Yamanouchi, K.

Lordosis in male rats: The facilitatory effect of mesencephalic dorsal raphe nucleus lesion.
Physiol. Behav. 51 (1) 181-184, 1992
Kakeyama, M. and Yamanouchi, K.

Effect of medullary raphe lesions on sexual behavior in male rats with or without treatments of p-chlorophenylalanine.
Physiol. Behav. 51 (3) 575-579 1992
Yamanouchi, K. and Kakeyama, M.

Role of the medullary raphe nucleus in regulating sexual behaviors in female rats.
Zool. Sci., 7 (5) 907-912, 1990
Yamanouchi, K.