

参考文献

- Addington EE. and Grunewald KK. (1987) Preexercise feedings of glucose, fructose or sucrose: effect of substrate depletion in rats. *J. Nutr.* 117: 593-597.
- Ahlborg G. and Felig P. (1976) Influence of glucose ingestion on fuel-hormone response during prolonged exercise. *J. Appl. Physiol.* 41: 683-688.
- Ahlborg G. and Felig P. (1977) Substrate utilization during prolonged exercise preceded by ingestion of glucose. *Am. J. Physiol.* 233: E188-E194.
- Arner P., Kriegholm E., Engfeldt P. and Bolinder J. (1990) Adrenergic regulation of lipolysis in situ at rest and during exercise. *J. Clin. Invest.* 85: 893-898.
- Åstrand I., Åstrand PO., Christensen EH. and Hedman R. (1960) Intermittent muscular work. *Acta Physiol. Scand.* 48: 448-453.
- Åstrand PO., Hultman E., Juhlin-Dannfelt A. and Reynolds G. (1986) Disposal of lactate during and after strenuous exercise in humans. *J. Appl. Physiol.* 61: 338-343.
- Balsom PD., Seger JY., Sjödin B. and Ekblom B. (1992a) Physiological responses to maximal intensity intermittent exercise. *Eur. J. Appl. Physiol.* 65: 144-149.
- Balsom PD., Seger JY., Sjödin B. and Ekblom B. (1992b) Maximal-intensity intermittent exercise: effect of recovery duration. *Int. J. Sports Med.* 13: 528-533.
- Balsom PD., Ekblom B. and Sjödin B. (1994a) Enhanced oxygen availability during high intensity intermittent exercise decreases anaerobic metabolite concentrations in blood. *Acta Physiol. Scand.* 150: 455-456.
- Balsom PD., Gaitanos GC., Ekblom B. and Sjödin B. (1994b) Reduced oxygen availability during high intensity intermittent exercise impairs performance. *Acta Physiol. Scand.* 152: 279-285.
- Bangsbo J., Norregaard L. and Thorso F. (1991a) Activity profile of competition soccer. *Can. J. Sport Sci.* 16: 110-116.
- Bangsbo J., Gollnick PD, Graham TE and Saltin B (1991b) Substrates for muscle glycogen synthesis in recovery from intense exercise in man. *J. Physiol.* 434: 423-440.
- Bangsbo J., Graham T., Johansen L. and Saltin B. (1994) Muscle lactate metabolism in recovery from intense exhaustive exercise: impact of light exercise. *J. Appl. Physiol.* 77: 1890-1895.
- Bangsbo J., Madsen K., Kiens B. and Richter EA. (1997) Muscle glycogen synthesis in recovery from intense exercise in humans. *Am. J. Physiol.* 273: E416-E424.
- Bergström J., Hermansen L., Hultman E. and Saltin B. (1967) Diet, muscle glycogen and physical performance. *Acta. Physiol. Scand.* 71: 140-150.

- Bergström J. and Hultman E. (1967) A study of the glycogen metabolism during exercise in man. Scand. J. Clin. Lab. Invest. 19: 218-228.
- Best JD. and Halter JB. (1982) Release and clearance rates of epinephrine in man: importance of arterial measurements. J. Clin. Endocrinol Metab. 55: 263-268.
- Bjorkman O., Sahlin K., Hagenfeldt L. and Wahren J. (1984) Influence of glucose and fructose ingestion on the capacity for long-term exercise in well-trained men. Clin. Physiol. 4: 483-494.
- Blom PC., Hostmark AT, Flaten O. and Hermansen L. (1985) Modification by exercise of the plasma gastric inhibitory polypeptide response to glucose ingestion in young men. Acta. Physiol. Scand. 123: 367-368.
- Bogdanis GC., Nevill ME., Boobis LH., Lakomy HKA. and Nevill AM. (1995) Recovery of power output and muscle metabolites following 30s of maximal sprint cycling in man. J. Physiol. 482: 467-480.
- Bogdanis GC., Nevill ME., Boobis LH. and Lakomy HKA. (1996) Contribution of phosphocreatine and aerobic metabolism to energy supply during repeated sprint exercise. J. Appl. Physiol. 80: 876-884.
- Bogdanis GC., Nevill ME., Lakomy HKA. and Boobis LH. (1998) Power output and muscle metabolism during and following recovery from 10 and 20s of maximal sprint exercise in humans. Acta Physiol. Scand. 163: 267-272.
- Bonen A, McDermott JC. and Tan MH. (1990) Glycogenesis and glycogenolysis in skeletal muscle: effects of pH and hormones. Am. J. Physiol. 258: E693-E700.
- Bosch AN., Dennis SC. and Noakes TD. (1994) Influence of carbohydrate ingestion on fuel substrate turnover and oxidation during prolonged exercise. J. Appl. Physiol. 76: 2364-2372.
- Brooks GA. and Gaesser GA. (1980) End points of lactate and glucose metabolism after exhausting exercise. J. Appl. Physiol. 49: 1057-1069.
- Brooks S., Nevill ME., Meleagros L., Lakomy HKA., Hall GM., Bloom SR. and Williams C. (1990) The hormonal responses to repetitive brief maximal exercise in humans. Eur. J. Appl. Physiol. 60: 144-148.
- Carlson MG., Snead WL., Hill JO., Nurjhan N. and Campbell PJ. (1991) Glucose regulation of lipid metabolism in humans. Am. J. Physiol. 261: E815-E820.
- Casey A., Constantin-Teodosiu D., Howell S., Hultman E. and Greenhaff PL. (1996a) Metabolic response of Type I and II muscle fibers during repeated bouts of maximal exercise in humans. Am. J. Physiol. 271: E38-E43.
- Casey A., Constantin-Teodosiu D., Howell S., Hultman E. and Greenhaff PL. (1996b) Creatine ingestion favorably affects performance and muscle metabolism during maximal exercise in humans. Am. J. Physiol. 271: E31-E37.

- Christensen EH., Hedman R. and Holmdahl I. (1960a) The influence of rest pauses on mechanical efficiency. *Acta Physiol. Scand.* 48: 443-447.
- Christensen EH., Hedman R. and Saltin B. (1960b) Intermittent and continuous running (A further contribution to the physiology of intermittent work) *Acta Physiol. Scand.* 50: 269-286.
- Christensen, NJ. and Galbo H. (1983) Sympathetic nervous activity during exercise. *Annu. Rev. Physiol.* 45: 139-153.
- Christmass MA., Dawson B., Passeretto P. and Arthur PG. (1999a) A comparison of skeletal muscle oxygenation and fuel use in sustained continuous and intermittent exercise. *Eur. J. Appl. Physiol.* 80: 423-435.
- Christmass MA., Dawson B. and Arthur PG. (1999b) Effect of work and recovery duration on skeletal muscle oxygenation and fuel use during sustained intermittent exercise. *Eur. J. Appl. Physiol.* 80: 436-447.
- Coggan AR. and Coyle EF. (1987) Reversal fatigue during prolonged exercise by infusion or ingestion. *J. Appl. Physiol.* 63: 2388-2395.
- Coggan AR. and Coyle EF. (1988) Effect of carbohydrate feedings during high-intensity exercise. *J. Appl. Physiol.* 65: 1703-1709.
- Coggan AR. and Coyle EF. (1989) Metabolism and performance following carbohydrate ingestion late in exercise. *Med. Sci. Sports Exerc.* 21: 59-65.
- Coggan, AR. and Coyle EF. (1991) Carbohydrate ingestion during prolonged exercise: effects on metabolism and performance. *Exerc. Sports Sci. Rev.* 19: 1-40.
- Constable SH., Young JC., Higuchi M. and Holloszy JO. (1984) Glycogen resynthesis in leg muscles of rats during exercise. *Am. J. Physiol.* 247: R880-R883.
- Costill DL. and Salton B. (1974) Factors limiting gastric emptying during rest and exercise. *J. Appl. Physiol.* 37: 679-683.
- Coyle EF., Habberg JM., Hurley BF., Martin WH., Ehsani AA. and Holloszy JO. (1983) Carbohydrate feeding during prolonged strenuous exercise can delay fatigue. *J. Appl. Physiol.* 55: 230-235.
- Coyle EF., Coggan AR., Hemmert MK. and Ivy JL. (1986) Muscle glycogen utilization during prolonged strenuous exercise when fed carbohydrate. *J. Appl. Physiol.* 61: 165-172.
- Coyle EF., Jeukendrup AE., Wangenmarks AJM. and Saris WHM. (1997) Fatty acid oxidation is directly regulated by carbohydrate metabolism during exercise. *Am. J. Physiol.* 273: E268-E275.
- Craig BW. (1993) The influence of fructose feeding on physical performance. *Am. J. Clin. Nutr.* 58 (suppl) : S815-S819.

- Cryer PE., Rizza RA., Haymond MW. and Gerich JE. (1980) Epinephrine and norepinephrine are cleared through beta-adrenergic, but not alpha-adrenergic, mechanisms in man. *Metabolism*. 29, Suppl. 1: 1114-1118.
- Cumming DC., Quigley ME. and Yen SS. (1983) Acute suppression of circulating testosterone levels by cortisol in men. *J. Clin. Endocrinol Metab.* 57: 671-673.
- Cumming DC., Brunsting LA 3rd., Strich G., Ries AL. and Rebar RW. (1986) Reproductive hormone increases in response to acute exercise in men. *Med. Sci. Sports Exerc.* 18: 369-373.
- Davis JM., Jackson DA., Broardwell MS., Queary JL. and LambertCL. (1997) Carbohydrate drinks delay fatigue during intermittent, high-intensity cycling in active men and women. *Int. J. Sport Nutr.* 7: 261-273.
- Davis JM., Welsh RS., De Volve KL. and Alderson NA. (1999) Effect of branched-chain amino acids and carbohydrate on fatigue during high-intensity intermittent running. *Int. J. Sports Med.* 20: 309-314.
- Dessypris A., Kuoppasalmi K. and Adlercreutz H. (1976) Plasma cortisol, testosterone, androstenedione and luteinizing hormone (LH) in a no-competitive marathon run. *Journal of Steroid Biochemistry*. 7: 33-37.
- Deuster PA., Chrousos GP., Luger A., DeBolt JE., Bernier LL., Trostmann UH., Kyle SB., Montgomery LC. and Loriaux DL. (1989) Hormonal and metabolic responses of untrained, moderately trained, and highly trained men to three exercise intensities. *Metabolism*. 38: 141-148.
- Eik-Nes KB. (1969) An effect of isoproterenol on rates of synthesis and secretion of testosterone. *Am. J. Physiol.* 217: 1764-1770.
- el-Sayed MS., Rattu AJ. and Roberts I. (1995) Effects of carbohydrate feeding before and during prolonged exercise on subsequent maximal exercise performance capacity. *Int. J. Sport Nutr.* 5: 215-224.
- Erickson MA., Schwarzkopf RJ. and Mckenzei, RD. (1987) Effect of caffeine, fructose, and glucose ingestion on muscle glycogen utilization during exercise. *Med. Sci. Sports Exerc.* 19: 579-583.
- Esler M., Jennings G., Lambert G., Meredith I., Horne M. and Eisenhofer G. (1990) Overflow of catecholamine neurotransmitters to the circulation: source, fate, and functions. *Physiol. Rev.* 70: 963-985.
- Essén B., Hagenfeldt L. and Kaijser L. (1977) Utilization of blood-borne and intramuscular substrates during continuous and intermittent exercise in man. *J Physiol.* 265: 489-506.
- Essén B. (1978a) Studies on the regulation of metabolism in human skeletal muscle using intermittent exercise as an experimental model. *Acta Physiol. Scand. (Suppl)* 454: 1-32.
- Essén B. and Kaijser L. (1978b) Regulation of glycolysis in intermittent exercise in man. *J*

Physiol. 281: 499-511.

Essén B. (1978c) Glycogen depletion of different fiber types in human skeletal muscle during intermittent and continuous exercise. Acta Physiol. Scand. (Suppl) 103: 446-455.

Felig P., Cherif A., Minagawa A. and Wahren J. (1982) Hypoglycemia during prolonged exercise in normal men. N. Engl. J. Med. 306: 895-900.

Fielding RA., Costill DL., Fink WJ., King DS., Hargreaves M. and Kovaleski JE. (1985) Effect of carbohydrate feeding frequencies and dosage on muscle glycogen use during exercise. Med. Sci. Sports Exerc. 17: 472-476.

Flynn MG., Costill DL., Hawley JA., Fink WJ., Neufer PD., Fielding RA. and Sleeper MD. (1987) Influence of selected carbohydrate drinks on cycling performance and glycogen use. Med. Sci. Sports Exerc. 19: 37-40.

Foster C., Costill DL., and Fink WJ. (1979) Effect of preexercise feedings on endurance performance. Med. Sci. Sports 11: 1-5.

藤井宣晴・北野勇信・福岡義之・曾根涼子・池上晴夫 (1992) 運動時の交感神経と副腎髓質の相対的活動度の変化 運動持続時間との関連 . 体力科学 . 41: 567-575.

Fujimoto T, Itoh M, Kumano H, Tashiro M and Ido T (1996) Whole-body metabolic map with positron emission tomography of a man after running. Lancet 348: 266.

Fujimoto T., Itoh M., Tashiro M., Yamaguchi K., Kubota K. and Ohmori H. (2000) Glucose uptake by individual skeletal muscles during running using whole-body positron emission tomography. Eur. J. Appl. Physiol. 83: 297-302.

Gaitanos GC., Williams C., Boobis LH. and Brooks S. (1993) Human muscle metabolism during intermittent maximal exercise. J. Appl. Physiol. 75: 712-719.

Galbo H., Holst JJ. and Christensen NJ. (1975) Glucagon and plasma catecholamine responses to graded and prolonged exercise in man. J. Appl. Physiol. 38: 70-76.

Galbo H., Holst JJ., Christensen NJ. and Hilsted J. (1976) Glucagon and plasma catecholamines during beta-receptor blockade in exercising man. J. Appl. Physiol. 40: 855-863.

Galbo H., Hummer L., Perterson IB., Christensen NJ. and Bie N. (1977) Thyroid and testicular hormone responses to graded and prolonged exercise in man. J. Appl. Physiol. 36: 101-106.

Galbo H. (1986) The hormonal response to exercise. Diabetes/Metabolism Reviews. 1: 358-408.

Gisolfi CV., Spranger KJ., Summers RW., Schedl HP. and Bleiler TL. (1991) Effect of cycle exercise on intestinal absorption in humans. J.Appl.Physiol. 71: 2518-2527.

- Gray AB., Telford RD. and Weidemann MJ. (1993) Endocrine response to intense interval exercise. *Eur. J. Appl. Physiol.* 66: 366-371.
- Greenhaff PL., Bodin K., Soderlund K. and Hultman E. (1994) Effect of oral creatine supplementation on skeletal muscle phosphocreatine resynthesis. *Am. J. Physiol.* 266: E725-E730.
- Hackney AC., Premo MC. and McMurray RG. (1995) Influence of aerobic versus anaerobic exercise on the relationship between reproductive hormones in men. *J. Sports Sci.* 13: 305-311.
- Haggendal J., Hartley H. and Saltin B. (1970) Arterial noradrenaline concentration during exercise in relation to the relative work levels. *Scand. J. Clin. Lab. Invest.* 26: 337-342.
- Hargreaves M., Costill DL., Coggan A., Fink WJ. and Nishibata I. (1984) Effect of carbohydrate feedings on muscle glycogen utilization and exercise performance. *Med. Sci. Sports Exerc.* 16: 219-222.
- Hargreaves M. and Briggs CA. (1988) Effect of carbohydrate ingestion on exercise metabolism. *J. Appl. Physiol.* 65: 1553-1555.
- Hargreaves M., Meredith I. and Jennings GL. (1992) Muscle glycogen and glucose uptake during exercise in humans. *Exp. Physiol.* 77: 641-644.
- Hargreaves M. (1997) Interactions between muscle glycogen and blood glucose during exercise. *Exerc. Sport Sci. Rev.* 25: 21-39.
- Hargreaves M., McKenna MJ., Jenkins DG., Warmington SA., Li JL., Snow RJ. and Febbraio A. (1998) Muscle metabolites and performance during high intensity, intermittent exercise. *J. Appl. Physiol.* 84: 1687-1619.
- Harris RC., Edwards RH., Hultman E., Nordesjo LO., Nylin B. and Sahlin K. (1976) The time course of phosphorylcreatine resynthesis during recovery of the quadriceps muscle in man. *Pflugers Arch.* 367: 137-142.
- Hawley JA. (2002) Effect of increased fat availability on metabolism and exercise capacity. *Med. Sci. Sports Exerc.* 34: 1485-1491.
- Hermansen L. and Vaage O. (1977) Lactate disappearance and glycogen synthesis in human muscle after maximal exercise. *Am. J. Physiol.* 233: E422-E429.
- Hespel P. and Richter EA. (1990) Glucose uptake and transport in contracting, perfused rat muscle with different pre-contraction glycogen concentrations. *J. Physiol.* 427: 347-359.
- Hoymyard DJ., Cheetham ME., Lakomy HKA. and Williams C. (1987) Effect of recovery duration on performance during multiple treadmill sprints. In Proceeding of the first congress on science and Football (Edited by Reilly T., Lees A., Davids K. and Murphy WJ.) E & FN spon, pp143-152.
- Iida H, Miura S, Kanno I, Murakami M, Yamamoto S and Amano M (1989) Design and

evaluation of Headtom-IV, a whole-body positron emission tomograph. IEEE Trans Nucl Sci NS-37: 1006-1010.

石田均 (1999) Type2 糖尿病のインスリン分泌不全の分子機構 . 医学のあゆみ , 188: 390-394.

Ivy JL., Miller W., Dover V., Goodyear LJ., Sherman WM., Farrell S. and Williams H. (1983) Endurance improved by ingestion of a glucose polymer supplement. Med. Sci. Sports Exerc. 15: 466-471.

Jacobs I., Westlin N., Karlsson J., Rasmussen M. and Houghton B. (1982) Muscle glycogen and diet in elite soccer players. Eur .J. Appl. Physiol. Occup. Physiol. 48: 297-302.

Jandrain BJ., Pallikarakis N., Normand S., Pirnay F., Lacroix M., Mosora F., Pachiaudi C., Gautier JF., Scheen AJ., Riou JP., et al. (1993) Fructose utilization during exercise in men: rapid conversion of ingested fructose to circulating glucose. J. Appl. Physiol. 74: 2146-54.

Jansson E., Hjemdahl P. and Kaijser L. (1986) Epinephrine-induced changes in muscle carbohydrate metabolism during exercise in male subjects. J. Appl. Physiol. 60: 1466-1470.

Jeukendrup AE., Brouns F., Wagenmakers AJ. and Saris WH. (1997) Carbohydrate-electrolyte feedings improve 1 h time trial cycling performance. Int. J. Sports Med. 18: 125-129.

Jeukendrup AE. and Jentjens R. (2000) Oxidation of carbohydrate feedings during prolonged exercise: current thoughts, guidelines and directions for future research. Sports Med. 29: 407-424.

Jezova D., Vigas M., Tatar P., Kvetnansky R., Nazar K., Kaciuba-Uscilko H. and Kozlowski S. (1985) Plasma testosterone and catecholamine responses to physical exercise of different intensities in men. Eur. J. Appl. Physiol. 54: 62-66.

Kawanaka K., Tabata I., Tanaka A. and Higuchi M. (1998) Effect of high-intensity swimming on glucose transport in rat epitrochlearis muscle. J. Appl. Physiol. 84: 1852-1857.

Kemppainen J., Fujimoto T., Kalliokoski KK., Viljanen T., Nuutila P. and Knuuti J. (2002) Myocardial and skeletal muscle glucose uptake during exercise in humans. J. Physiol. 542: 403-412.

Kjaer M., Christensen NJ., Sonne B., Richter EA. and Galbo H. (1985) Effect of exercise on epinephrine turnover in trained and untrained male subjects. J. Appl. Physiol. 59: 1061-1067.

Kjaer M., Farrell PA., Christensen NJ. and Galbo H. (1986) Increased epinephrine response and inaccurate glucoregulation in exercising athletes. J. Appl. Physiol. 61: 1693-1700.

Kjaer M. (1989) Epinephrine and some other hormonal responses to exercise in man: with special reference to physical training. Int. J. Sports Med. 10: 2-15.

- Koivisto VA., Karonen SL. and Nikkilä, EA. (1981) Carbohydrate ingestion before exercise: comparison of glucose, fructose, and sweet placebo. *J. Appl. Physiol.* 51: 783-787.
- Koivisto V., Handler R., Nadel E. and Felig P. (1982) Influence of physical training on the feul-hormon response to prolonged low intensity exercise. *Metabolism*. 31: 192-197.
- Koivisto VA., Häkkinen M., Karonen SL., Groop PH., Elovinio R., Ferrannini E., Sacca L., and Derronzo RA. (1985) Glycogen depletion during prolonged exercise: influence of glucose, fructose, or placebo. *J. Appl. Physiol.* 58: 731-737.
- Krzentowski G., Pirnay F., Luyckx AS., Pallikarakis N., Lacroix M., Mosora F. and Lefebvre PJ. (1982) Metabolic adaptations in post-exercise recovery. *Clin. Physiol.* 2: 277-288.
- Kuipers H., Costill DL., Porter DA., Fink WJ. and Morse WM. (1986) Glucose feeding and exercise in trained rats: mechanisms for glycogen sparing. *J. Appl. Physiol.* 61: 859-863.
- Kuipers H., Keizer HA., Brouns F. and Saris WH. (1987) Carbohydrate feeding and glycogen synthesis during exercise in man. *Pflugers Arch.* 410: 652-656.
- Kuipers H., Saris WH., Brouns F., Keizer HA. and ten Bosch C. (1989) Glycogen synthesis during exercise and rest with carbohydrate feeding in males and females. *Int. J. Sports Med.* 10 Suppl. 1: S63-S67.
- Kuoppasalmi K., Naveri H., Harkonen M., Adlercreutz H. (1980) Plasma cortisol, androstenedione, testosterone and luteinizing hormone in running exercise of different intensities. *Scand J Clin Lab Invest.* 40: 403-409.
- Leuenberger URS., Sinoway L., Gubin S., Gaul L., Davis D. and Zelis R. (1993) Effect of exercise intensity and duration on norepinephrine spillover and clearance in humans. *J. Appl. Physiol.* 75: 668-674.
- Levine L., Evans WJ., Cadarette BS., Fisher EC. and Bullen, BA. (1983) Fructose and glucose ingestion and muscle glycogen use during submaximal exercise. *J. Appl. Physiol.* 55: 1767-1771.
- Lo S., Russell JC. and Taylor W. (1970) Determination of glycogen in small tissue samples. *J. Appl. Physiol.* 28: 234-236.
- MacDougall JD, Ward GR. and Sutton JR. (1977) Muscle glycogen repletion after high-intensity intermittent exercise. *J. Appl. Physiol.* 42: 129-132.
- Massicotte D., Péonnet F., Allah C., Hillaire-Marcel C., Ledoux M. and Brisson, G. (1986) Metabolic response to [¹³C] glucose and [¹³C] fructose ingestion during exercise. *J. Appl. Physiol.* 61: 1180-1184.
- Massicotte D., Péonnet F., Brisson G., Bakkouch K. and Hillaire-Marcel C. (1989) Oxidation of a glucose polymer during exercise: comparison with glucose and fructose. *J. Appl. Physiol.* 66: 179-183.
- Maughan R., Gleeson M. and Greenhaff PL. (1997) Biochemistry of Exercise and Training.

pp.27-28. Oxford University Press.

Mazzeo RS. and Marshall P. (1989) Influence of plasma catecholamines on the lactate threshold during graded exercise. *J. Appl. Physiol.* 67, 1319-1322.

McCartney N., Spriet LL., Heigenhauser GJF., Kowalchuk JM., Sutton JR. and Jones NL. (1986) Muscle power and metabolism in maximal intermittent exercise. *J. Appl. Physiol.* 60: 1164-1169.

McConell G., Kloot K. and Hargreaves M. (1996) Effect of timing of carbohydrate ingestion on endurance exercise performance. *Med. Sci. Sports Exerc.* 28: 1300-1304.

McLane JA. and Holloszy JO. (1979) Glycogen synthesis from lactate in the three types of skeletal muscle. *J. Biol. Chem.* 254: 6548-6553.

McMurray RG., Wilson JR. and Kitchell BS. (1983) The effect of fructose and glucose on high intensity endurance performance. *Research Quarterly for Exercise and Sport* 54: 156-162.

Mitchell JB., Costill DL., Housard JA., Flynn MG., Fink WJ. and Beltz JD. (1988) Effect of carbohydrate ingestion on gastric emptying and exercise performance. *Med. Sci. Sports Exerc.* 20: 110-115.

Mitchell JB., Costill DL., Housard JA., Fink WJ., Pascoe DD. and Pearson DR. (1989) Influence of carbohydrate dosage on exercise performance and glycogen metabolism. *J. Appl. Physiol.* 67: 4843-4849.

村岡功 (1978) 運動とカテコールアミン . 体育の科学 . 28, 831-836.

村岡功 (1994) 液体摂取のスポーツ生理学 . スポーツ生理学 (森谷敏夫・根本勇編) . pp224-232 . 朝倉書店 .

Murray IA., Coupland K., Smith JA., Ansell ID. and Long RG. (2000) Intestinal trehalase activity in a UK population: establishing a normal range and the effect of disease. *Br. J. Nutr.* 83: 241-245.

Murray R., Eddy DE., Murray TW., Seifert JG., Paul GL. and Halaby GA. (1987) The effect of fluid and carbohydrate feedings during intermittent cycling exercise. *Med. Sci. Sports Exerc.* 19: 597-604.

Murray R., Paul GL., Seifert JG., Eddy DE. and Halaby GA. (1989) The effects of glucose, fructose, and sucrose ingestion during exercise. *Med. Sci. Sports Exerc.* 21: 275-282.

Murray R., Paul GL., Seifert JG. and Eddy DE. (1991) Response to varying rates of carbohydrate ingestion during exercise. *Med. Sci. Sports Exerc.* 23: 713-718.

Naveri H., Rehunen S., Kuoppasalmi K., Tulikoura I. and Harkonen M. (1978) Muscle metabolism during and after strenuous intermittent running. *Scand. J. Clin. Lab. Invest.* 38: 329-336.

Neufer PD., Costill DL., Flynn MG., Kirwan JP., Mitchell JB. and Houmard J. (1987) Improvements in exercise performance: effects of carbohydrate feeding and diet. *J.Appl.Physiol.* 62: 983-988.

Nicholas C., Williams C., Lakomy HKA., Phillips G. and Howitz A. (1995) Influence of ingesting a carbohydrate-electrolyte solution on endurance capacity during intermittent high-intensity shuttle running. *J. Sports Sci.* 13: 283-290.

Nicklas BJ. (1997) Effect of endurance exercise on adipose tissue metabolism. In *Exercise and Sport Sciences Reviews*. 25 (Edited by Holloszy JO.) Williams & Wilkins, pp77-103.

Nuutila P, Koivisto VA, Knuuti J, Ruotsalainen U, Teras M, Haaparanta M, Bergman J, Solin O, Voipio-Pulkki LM, Wegelius U and Yki-Jarvinen H (1992) Glucose-free fatty acid cycle operates in human heart and skeletal muscle in vivo. *J. Clin. Invest.* 89: 1767-1774.

Nuutila P., Peltoniemi P., Oikonen V., Larmola K., Kemppainen J., Takala T., Sipila H., Oksanen A., Ruotsalainen U., Bolli GB. and Yki-Jarvinen H. (2000) Enhanced stimulation of glucose uptake by insulin increases exercise-stimulated glucose uptake in skeletal muscle in humans: studies using [¹⁵O]O₂, [¹⁵O]H₂O, [¹⁸F]fluoro-deoxy-glucose, and positron emission tomography. *Diabetes*. 49: 1084-1091.

Okano G., Takeda H., Morita I., Katoh M., Mu Z. and Miyake S. (1988) Effect of pre-exercise fructose ingestion on endurance performance in fed men. *Med. Sci. Sports Exerc.* 20: 105-109.

大森一伸・村岡功 (1996) スポーツドリンクの摂り方 . 臨床スポーツ医学 Vol.13 臨時増刊号 , スポーツ栄養の実際 . 226-230 .

大森一伸・中村好男・村岡功 (1997) サッカー選手におけるインターバルフィールドテストの妥当性 . 早稲田大学体育学研究紀要 . 29 : 21-27 .

大谷勝・白井直規 (1994) 発酵法によるトレハロースの產生とその利用 . 月刊フードケミカル 2: 91-95.

Owen MD., Kregel KC., Wall PT. and Gisolfi CV. (1986) Effects of ingesting carbohydrate beverages during exercise in the heat. *Med. Sci. Sports Exerc.* 18: 568-575.

Pappas GP., Olcott EW. and Drace JE. (2001) Imaging of skeletal muscle function using ¹⁸FDG PET: force production, activation, and metabolism. *J. Appl. Physiol.* 90: 329-337.

Peters Futre EM., Noakes TD., Raine RI. and Terblanche SE. (1987) Muscle glycogen repletion during active postexercise recovery. *Am. J. Physiol.* 253: E305-E311.

Phelps ME, Huang SC, Hoffman EJ, Selin C, Sokoloff L and Kuhl DE (1979) Tomographic measurement of local cerebral glucose metabolic rate in humans with ¹⁸F-fluoro- 2-deoxy-D-glucose. *Ann. Neurol.* 6: 371-338.

Pirnay F., Crielaard JM., Pallikarakis N., Lacroix M., Mosora F., Krzentowski G., Luyckx

- AS. and Lefebvre PJ. (1982) Fate of exogenous glucose during exercise of different intensities in humans. *J. Appl. Physiol.* 53: 1620-1624.
- Price TB., Rothman DL., Taylor R., Avison MJ., Shulman GI. and Shulman RG. (1994) Human muscle glycogen resynthesis after exercise: insulin-dependent and -independent phases. *J. Appl. Physiol.* 76: 104-111.
- Sacca L., Handler R., Picardi A. and Sherwin RS. (1986) Splanchnic and renal contribution to disposal of infused epinephrine in humans. *Am. J. Physiol.* 251: E285-E289.
- Saitoh S. and Suzuki M. (1986) Nutritional design for repletion of liver and muscle glycogen during endurance exercise without inhibiting lipolysis. *J. Nutr. Sci. Vitaminol.* 32: 343-353.
- Saltin B. and Essen B. (1971) Muscle glycogen, lactate, ATP and CP in intermittent exercise. In *Muscle Metabolism during Exercise*. Ed. Pernow B. and Saltin B. pp 419-424. Newyork, Plenum.
- Saltin B. (1973) Metabolic fundamentals in exercise. *Med. Sci. Sports.* 5: 137-146.
- Shi X. and Gisolfi CV. (1998) Fluid and carbohydrate replacement during intermittent exercise. *Sports Medicine.* 25: 157-172.
- 塩坂誠 (1997) トレハ糖(トレハロース)の利用. *FFI Journal* 172 : 97-102 .
- Slentz CA., Davis JM., Settles, DL., Pate RR. and Seltlles SJ. (1990) Glucose feedings and exercise in rats: glycogen use, hormone responses, and performance. *J. Appl. Physiol.* 69: 989-994.
- Sokoloff L, Reivich M, Kennedy C, Des Rosiers MC, Patlak CS, Pettigrew KD, Sakurada O, and Shinohara M (1977) The [¹⁴C]deoxyglucose method for the measurement of local cerebral glucose utilization: theory, procedure and normal values in the conscious and anesthetized albino rats. *J. Neurochem.* 28: 897-916.
- Sprriet LL, Lindinger MI, McKelvie RS, Heigenhauser GJF and Jones NL (1989) Muscle glycogenolysis and H⁺ concentration during maximal intermittent cycling. *J. Appl. Physiol.* 66: 8-13.
- Tabata I., Atomi Y. and Miyashita M. (1984) Blood glucose concentration dependent ACTH and cortisol responses to prolonged exercise. *Clin. Physiol.* 4: 299-307.
- Takala TO., Nuutila P., Knuuti J., Luotolahti M. and Yki-Jarvinen H. (1999) Insulin action on heart and skeletal muscle glucose uptake in weight lifters and endurance athletes. *Am. J. Physiol.* 276: E706-E711.
- 武内安雄 (1997)「トレハオース TM」の甘味特製と製菓類への利用効果. *ジャパン フードサイエンス* 8 : 40-49 .
- 寺田新・大森一伸・中村好男・村岡功 (1999) フルクトース摂取が長時間運動終盤における高強度運動時のパフォーマンスに及ぼす影響. *体力科学* . 48: 343-352 .

寺田新・大森一伸・中村好男・村岡功 (2002) 長時間運動終の糖質・タンパク質混合物摂取が日本人陸上長距離選手の回復期の血中エネルギー基質ならびに関連ホルモン動態に及ぼす影響 . 日本運動生理学雑誌 . 9: 47-52 .

Thomas DE., Brotherhood JR. and Brand JC. (1991) Carbohydrate feeding before exercise: effect of glycemic index. Int. J. Sports Med. 12: 180-186.

Trump ME., Heigenhauser GJF., Putman CT. and Spriet LL. (1996) Importance of muscle phosphocreatine during intermittent maximal cycling. J. Appl. Physiol. 80: 1574-1580.

Tsintzas OK., Williams C., Boobis L. and Greenhaff P. (1995) Carbohydrate ingestion and glycogen utilization in different muscle fiber types in man. J. Physiol. 489: 243-250.

Tsintzas OK., Williams C., Boobis L. and Greenhaff P. (1996) Carbohydrate ingestion and single muscle fiber glycogen metabolism during prolonged running in men. J. Appl. Physiol. 81: 801-809.

Van Handel PJ., Finck WJ., Branam G. and Costill DL. (1980) Fate of ¹⁴C-glucose ingested during prolonged exercise. Int J. Sports Med. 1: 127-131.

Victor RG., Bortocci LA., Pryor SL. and Nunnally RL. (1988) Sympathetic nerve discharge is coupled to muscle cell pH during exercise in humans. J. Clin. Invest. 82: 1301-1305.

Vogel RB., Books CA., Ketchum C., Zauner CW. and Murray FT. (1985) Increase of free and total testosterone during submaximal exercise in normal males. Med. Sci. Sports Exerc. 17: 119-123.

Wilkerson JE., Horvath SM. and Gutin B. (1980) Plasma testosterone during treadmill exercise. J. Appl. Physiol. 49: 249-253.

Yaspelkis BB and Ivy JL. (1991) Effect of carbohydrate supplements and water on exercise metabolism in the heat. J. Appl. Physiol. 71: 680-687.

Yaspelkis BB, Patterson JG, Anderla PA, Ding Z and Ivy JL. (1993) Carbohydrate supplementation spares muscle glycogen during variable-intensity exercise. J. Appl. Physiol. 75: 1477-1485.

Zachwieja JJ., Costill DL., Pascoe DD., Robergs RA. and Fink WJ. (1991) Influence of muscle glycogen depletion on the rate of resynthesis. Med. Sci. Sports Exerc. 23: 44-48.