

参考文献

Allain CC., Poon LS. Chan CSG., Richmond W., and Fu PC. 1974. Enzymatic determination of total serum cholesterol. *Clin. Chem.* 20:470-475.

Azevedo JL, Linderman JK, Lehman SL, Brooks GA. 1998. Training decreases muscle glycogen turnover during exercise. *Eur J Appl Physiol* 78: 479-486.

Berning JR. 1996. The role of medium-chain triglycerides in exercise. *Int J Sport Nutr* 6(2): 121-33.

Berke BM, Kaplan ML. 1983 . Effects of high fat and high carbohydrate diets on development of hepatic and adipose lipogenesis in fa/fa and non-fa/fa rats. *J Nutr.* 113(4): 820-834.

Björntorp P. 1981. The effects of exercise on plasma insulin. *Int J Sports Med* 2: 125-129.

Brisson GR, Malaisse-Lagae F, Malaisse WJ. 1971. Effect of phentolamine upon insulin secretion during exercise. *Diabetologia* 7(4): 223-6.

Conlee RK, Rennie MJ, Winder WW. 1976. Skeletal muscle glycogen content: diurnal variation and effects of fasting. *Am J Physiol* 231: 614-618.

Costill DL, Dalsky GP, Fink WJ. 1978. Effects of caffeine ingestion on metabolism and exercise performance. *Med Sci Sports* **10**: 155-158.

Cottle MK. and Cottle WH. 1970. Adrenergic fibers in brown fat of cold-acclimated rats. *J. Histochem. Cytochem.* **18**: 116-119.

Dawson CA, Horvath SM. 1970. Swimming in small laboratory animals. *Med Sci Sports Exerc* **2**: 51-78.

Galbo H. 1981. Endocrinology and metabolism in exercise. *Int J Sports Med* **2**: 203-211.

Graham TE, Spriet LL. 1991. Performance and metabolic responses to a high caffeine dose during prolonged exercise. *J Appl Physiol* **71**: 2292-2298.

Glick Z, Teague RJ, Bray GA. 1981. Brown adipose tissue: thermic response increased by a single low protein, high carbohydrate meal. *Science*: 213, 1125-1127.

Gyorgy P. 1967. Nutrition research in Indonesia and Thailand. Introduction. *Am J Clin Nutr*: 20 (12) 1258-1259.

Harris SR, Mehta RS, Hartle DK, Broderson JR, Bunce OR. 1994. Failure of high fat

diets to promote mammary cancers in spontaneously hypertensive rats. Cancer Lett. 87(1): 9-15.

Heim T, Hull D. 1966. The blood flow and oxygen consumption of brown adipose tissue in the new-born rabbit. J Physiol. 186(1): 42-55.

Hengartner H. and Zuber H. 1973. Isolation and characterization of thermophilic glucokinase from bacillus stearothermophilus. FEBS LETTERS 37: 212-216.

Himms-Hagen J. 1979. Obesity may be due to a malfunctioning of brown fat. CMA J. 121: 1361-1364.

Himms-Hagen J, Desautels M. 1978. A mitochondrial defect in brown adipose tissue of the obese (ob/ob) mouse: reduced binding of purine nucleotides and a failure to respond to cold by an increase in binding. Biochem Biophys Res Commun. 83(2): 628-634.

石原 清志 1994. バイオサイエンスの統計学 正しい活用するための実践理論 . 南江堂：東京。

石井孝彦 2000. カプサイシンと食塩摂取が自然発症高血圧ラットの血圧に及ぼす影響. 青山学院女子短期大学紀要 54: 17 ~ 26.

Issekutz B, Vranic M. 1980. Role of glucagons in regulation of glucose production in exercising dogs. *Am. J. Physiol. 238* (Endocrinol. Metab. 1): E13-E20.

Ivy JL, Costill DL, Fink WJ, Lower RW. 1979. Influence of caffeine and carbohydrate feeding on endurance performance. *Med Sci Sports 11*: 6-11.

Joel CD. 1965. Handbook of physiology. Section 5 Adipose tissue (1st ED.: The physiological role of brown adipose tissue. The Williams & Wilkins company:Baltimore, 59-85.

Kawada T, Hagihara K, Iwai K. 1986. Effects of capsaicin on lipid metabolism in rats fed a high fat diet. *J Nutr. 116*(7), 1272-1278.

Kawada T, Watanabe T, Takaishi T, Tanaka T, Iwai K. 1986. Capsaicin-induced beta-adrenergic action on energy metabolism in rats: influence of capsaicin on oxygen consumption, the respiratory quotient, and substrate utilization. *Proc Soc Exp Biol Med 183*(2): 250-6.

Kim KM, Kawada T, Ishihara K, Inoue K, Fushiki T. 1997. Increase in swimming endurance capacity of mice by capsaicin-induced adrenal catecholamine secretion. *Biosci Biotechnol Biochem* **61**: 1718-1723.

Klein S, Coyle EF, Wolfe RR. 1993. Fat metabolism during low-intensity exercise in endurance-trained and untrained men. *Am J Physiol* **267**: E934-E940.

国民衛生の動向 2000. 厚生の指標 (厚生統計協会) 47(9), 1-528.

Leighton B, Foot EA. 1995. The role of the sensory peptide calcitonin-gene-related peptide(s) in skeletal muscle carbohydrate metabolism: effects of capsaicin and resiniferatoxin. *Biochem J* **307** (Pt. 3): 707-12.

Lim K, Yoshioka M, Kikuzato S, Kiyonaga A, Tanaka H, Shindo M, Suzuki M. 1997. Dietary red pepper ingestion increases carbohydrate oxidation at rest and during exercise in runners. *Med Sci Sports Exerc* **29**: 355-361.

Lo SJ, Russell C, Taylor AW. 1970. Determination of glycogen in small tissue samples. *J. Appl. Physiol.* **28**: 234-236.

Matsuo T, Yoshioka M, Suzuki M. 1996. Capsaicin in diet does not affect glycogen contents in the liver and skeletal muscle of rats before and after exercise. *J Nutr Sci*

Vitaminol (Tokyo) **42**: 249-256.

Mercer SW, Trayhurn P. 1984. The development of insulin resistance in brown adipose tissue may impair the acute cold-induced activation of thermogenesis in genetically obese (ob/ob) mice. *Biosci Rep.* **4**(11): 933-940.

Moore, B. J., Inokuchi, T. S., and Horwitz, B. A. 1985. Brown adipose tissue lipectomy leads to increased fat deposition in Osborne-Mendel Rats. *Am. J. Physiol.* **248**: R231-R235.

中村治雄 1999 肥満とレプチン. からだの科学 **207** 41 - 44

Oh TW. 2001. Effects of capsaicin administration on brown adipose tissue oxygen consumption in wistar-kyoto and spontaneously hypertensive rat. *Human Science Research* **10**: 229-239.

Rohwell, N. J. and Stock, M. J. 1979. A role for brown adipose tissue in diet-induced thermogenesis. *Nature* **281-6**(9): 31-35.

Rothwell NJ, Stock MJ. 1981. Influence of noradrenaline on blood flow to brown

adipose tissue in rats exhibiting diet-induced thermogenesis. Pflugers Arch: 389(3), 237-242.

Salimath BP., Satyanarayana MN. 1987. Inhibition of calcium and calmodulin-dependent phosphodiesterase activity in rats by capsaicin. Biochem Biophys Res Commun. 148(1): 292-299.

Sambaiah K, Satyanarayana MN, Rao, MVL. 1978. Effect of red pepper (chilies) and capsaicin on fat absorption and liver fat in rats. Nutr Rep Int: 18, 521-529.

Schwartz JH, Young JB, Landsberg L, and Dana CA. 1983. Effect of dietary fat on sympathetic nervous system activity in the rat. J Clin Invest: 72, 361-370.

清水 昌、安井 浩司ら 1980. 微生物のアシル-CoA 合成酵素 (3). 日本農芸化学会講演要旨集 55, 38.

Smith RE, Horwitz BA. 1969. Brown fat and thermogenesis. Physiol Rev 49: 330-425.

Spayd RW. Bruschi B., Burdick BA., Dappen GM., Eikenberry JN., Esder TW. Figueras J., Goodhue CT., LaRossa DD., Nelson RW. Rand RN., and Wu TW. 1978. Multilayer film elements for clinical analysis: Applications to representative chemical determination. *Clin. Chem.* 24: 1343-1350.

Tae-Woong Oh, Chu-Ya Yang, Daito Nakajima, Tatsuki Naka, Chang-Sun Kim and Fukio Ohta. 2003. Capsaicin Increases Endurance Capacity and Spares Tissue Glycogen through Lipolytic Function in Swimming Rats. *J Nutr Sci Vitaminol*, In press

Triandaffillou J, Himms-Hagen J. 1983. Brown adipose tissue in genetically obese (fa/fa) rats: response to cold and diet. *Am J Physiol.* 244(2): E145-50.

Wachtel RE. 1999. Capsaicin. *Reg Anesth Pain Med* 24: 361-363.

Wasserman DH, Lavina H, Lickley A, Vranic M. 1984. Interactions between glucagons and other counterregulatory hormones during normoglycemic and hypoglycemic exercise in dogs. *J. Clin. Invest.* 74:1404-1473.

Wasserman DH, Spalding JA, Lacy DB, Colburn CA, Goldstein RE, Cherrington AD. 1989a. Glucagon is a primary controller of hepatic glycogenolysis and gluconeogenesis during muscular work. *Am. J. Physiol.* 257 (*Endocrinol. Metab. 20*): E108-E117.

- Wasserman DH, Williams PE, Lacy DB, Goldstein RE, Cherrington AD. 1989b. Exercise-induced fall in insulin and hepatic carbohydrate metabolism during muscular work. *Am. J. Physiol. 256 (Endocrinol. Metab. 19)*: E500-E509.
- Watanabe T, Kawada T, Yamamoto M, Iwai K. 1987. Capsaicin, a pungent principle of hot red pepper, evokes catecholamine secretion from the adrenal medulla of anesthetized rats. *Biochem Biophys Res Commun 142*: 259-264.
- Wilde DW, Massey KD, Walker GK, Vollmer A, Grekin RJ 2000. High-fat diet elevates blood pressure and cerebrovascular muscle Ca (2+) current. *Hypertension 35(3)*: 832-837.
- Winder WW. 1986. Effect of intravenous caffeine on liver glycogenolysis during prolonged exercise. *Med Sci Sports Exerc 18*: 192-196.
- Wolfe RR, Nadel ER, Shaw JHF, Stephenson LA, Wolfe MH. 1986. Role of changes in insulin and glucagons in glucose homeostasis in exercise. *J. Clin. Invest. 77*: 900-907.
- Zhou XF, Livett BG. 1991. Capsaicin-sensitive sensory neurons are involved in the plasma catecholamine response of rats to selective stressors. *J Physiol 433*: 393-